

Richard Porter, August 2017

RFPorter@talktalk.net

Prepared from Pearson *et al* (2007), Porter (2013), Porter (2016) and unpublished observations in 2017.

KEY

Emboldened are plants recorded 1999 – 2013 (Porter 2013).

Plants not recorded by Porter (2013), are not emboldened and are appropriately referenced.

Dates are given for plants recorded for the first time since Porter (2013).

Recording squares, where given, are those used in Porter (2013).

English and scientific names follow Stace (2010).

Plants of conservation importance are in Red and appropriately annotated with the reason (GB Red List, International importance and National scarcity). After Cheffings & Farrell 2005.

Adder's Tongue *Ophioglossum vulgatum* (only 1970-71, Pearson *et al* 2007)

Polpody *Polypodium vulgare* agg. (two species occur: *P.vulgare* & *P.interjectum*).

Black Spleenwort *Asplenium adiantum-nigrum* (not since 1970, Pearson *et al* 2007)

Lady-fern *Athyrium filix-femina* (possibly not since 1913, Pearson *et al* 2007)

Male-fern *Dryopteris filix-mas*

Broad Buckler-fern *Dryopteris dilatata*

Corsican Pine *Pinus nigra*

Clematis *Clematis orientalis/tangutica*

Creeping Buttercup *Ranunculus repens* (occasional, Pearson *et al* 2007)

Bulbous Buttercup *Ranunculus bulbosus*

Hairy Buttercup *Ranunculus sardous* (recorded in 2016 in Q3, see Porter 2016).

Creeping Buttercup *Ranunculus repens* (recorded in 2016 in Q3, see Porter 2016).

Lesser Meadow-rue *Thalictrum minus*

Common Poppy *Papaver rhoeas*

Opium Poppy *Papaver somniferum*

Yellow Horned-poppy *Glaucium flavum*

Common Fumitory *Fumaria officinalis*

Common Nettle *Urtica dioica*

Small Nettle *Urtica urens*

Downy Birch *Betula pubescens*

Fat Hen *Chenopodium album*

Spear-leaved Orache *Atriplex prostrata*

Grass-leaved Orache *Atriplex littoralis*

Frosted Orache *Atriplex laciniata* (GB has >25% of world distribution)

Common Orache *Atriplex patula*

Sea-purslane *Atriplex portulacoides*

Sea Beet *Beta vulgaris* ssp. *maritima*

Perennial Glasswort *Sarcocornia perennis* (Nationally Scarce)

One-flowered Glasswort *Salicornia pusilla* (Nationally Scarce; GB has >25% of world distribution)

Purple Glasswort *Salicornia ramosissima*

Common Glasswort *Salicornia europaea*

Long-spiked Glasswort *Salicornia dolichostachya*

Salicornia obscura (has been recorded, see Pearson *et al* 2007)

Salicornia procumbens (has been recorded, see Pearson *et al* 2007)

Salicornia nitens (has been recorded, see Pearson *et al* 2007)

Salicornia fragilis (has been recorded, see Pearson *et al* 2007)

Shrubby Sea-blight *Suaeda vera* (Nationally Scarce)

Annual Sea-blight *Suaeda maritima*

Prickly Saltwort *Salsola kali* (GB Red List - Vulnerable)

Blinks *Montia fontana*

Springbeauty *Claytonia perfoliata*

Thyme-leaved Sandwort *Arenaria serpyllifolia*

Sea Sandwort *Honkenya peploides*

Common Chickweed *Stellaria media*

Lesser Chickweed *Stellaria pallida*

Sea Mouse-ear *Cerastium diffusum* (GB has >25% of world distribution)

Little Mouse-ear *Cerastium semidecandrum* (recorded by Pearson *et al* 2007)

Common Mouse-ear *Cerastium fontanum*

Sticky Mouse-ear *Cerastium glomeratum*

Knotted Pearlwort *Sagina nodosa* (no recent records, Pearson *et al* 2007)

Procumbent Pearlwort *Sagina procumbens*

Annual Pearlwort *Sagina apetala* (no recent records, Pearson *et al* 2007)

Sea Pearlwort *Sagina maritima*

Greater Sea-spurrey *Spergularia media*

Lesser Sea-spurrey *Spergularia marina*

Sea Champion *Silene uniflora*

White Champion *Silene latifolia* (recorded 100 years ago, Pearson *et al* 2007)

Ray's Knotgrass *Polygonum oxyspermum* (GB has >25% of world distribution)

Knotgrass *Polygonum aviculare*

Equal-leaved Knotgrass *Polygonum arenastrum*

Black Bindweed *Fallopia convolvulus* (recorded in 2004, Pearson *et al* 2007)

Sheep's Sorrel *Rumex acetosella*

Common Sorrel *Rumex acetosa* (recorded 100 years ago, Pearson *et al* 2007)

Curled Dock *Rumex crispus ssp. littoreus*

Common Sea-lavender *Limonium vulgare*

[Lax-flowered Sea-lavender *Limonium humile* **](Nationally Scarce)**

Matted Sea-lavender *Limonium bellidifolium* **(Nationally Rare)**

Rock Sea-lavender *Limonium binervosum* **(GB has >25% of world distribution)**

Thrift *Armeria maritima*

Common Mallow *Malva sylvestris*

Tree Mallow *Lavatera arborea* (recorded 2003, Pearson *et al* 2007)

Common Dog Violet *Viola riviniana*

Heath Dog-violet *Viola canina* **(GB Red List - Near Threatened)**

Wild Pansy *Viola tricolor* (recorded in 2015, Lifeboat House Garden, I2, Porter (2016))

Field Pansy *Viola arvensis*

Tamarisk *Tamarix gallica*

Sea-heath *Frankenia laevis* **(GB Red List -Near Threatened; Nationally Scarce)**

White Bryony *Bryonia cretica*

White Poplar *Populus alba*

Grey Willow *Salix cinerea*

Eastern Balsam Poplar *Populus balsamifera* (no recent records, Pearson *et al* 2007)

Hedge Mustard *Sisymbrium officinale*

Flixweed *Descurainia sophia* (found 1960, Pearson *et al* 2007)

Thale-cress *Arabidopsis thaliana*

Horse-radish *Armoracia rusticana* (found once, Pearson *et al* 2007)

Cuckooflower *Cardamine pratensis*

Hairy Rock-cress *Arabis hirsuta*

Common Whitlowgrass *Erophila verna*

Common Scurvygrass *Cochlearia officinalis*

English Scurvygrass *Cochlearia anglica*

Danish Scurvygrass *Cochlearia danica*

Shepherd's Purse *Capsella bursa-pastoris*

Swine-cress *Coronopus squamatus*

Oil-seed Rape *Brassica napus*

Sea Rocket *Cakile maritima*

Sea-kale *Crambe maritima*

Weld *Reseda luteola*

Cyclamen *Cyclamen* sp

Scarlet Pimpernel *Anagallis arvensis*

Sea-milkwort *Glaux maritima*

Biting Stonecrop *Sedum acre*

English Stonecrop *Sedum anglicum*

Meadowsweet *Filipendula ulmaria* (recorded 1956-59, Pearson *et al* 2007)

Raspberry *Rubus idaeus*

Bramble *Rubus fruticosus* agg.

Rubus ulmifolius (see Pearson *et al* 2007)

Rubus boraeanus (see Pearson *et al* 2007)

Dewbury *Rubus caesius*

Silverweed *Potentilla anserina*

Parsley-piert *Aphanes arvensis* (recorded by Pearson *et al* 2007)

Burnet Rose *Rosa pimpinellifolia* (recorded by Pearson *et al* 2007)

Dog-rose *Rosa canina*

Japanese Rose *Rosa rugosa* (found 2002, but removed - Pearson *et al* 2007)

Wild Plum *Prunus domestica*

Apple *Malus domestica*

Rowan *Sorbus aucuparia* (recorded in 2017 in I2, James McCallum).

Hawthorn *Crataegus monogyna*

Silver Wattle *Acacia dealbata*

Kidney Vetch *Anthyllis vulneraria* (recorded in 2004, Pearson *et al* 2007)

Common Birds-foot-trefoil *Lotus corniculatus*

Common Vetch *Vicia sativa* ssp. *nigra*

Spring Vetch *Vicia lathyroides*

Sea Pea *Lathyrus japonicus* (Nationally Scarce)

White Clover *Trifolium repens* (last recorded in 2004, Pearson *et al* 2007)

Hop Trefoil *Trifolium campestre*

Lesser Trefoil *Trifolium dubium*

Knotted Clover *Trifolium striatum*

Rough Clover *Trifolium scabrum*

Hare's-foot Clover *Trifolium arvense*

Tree Lupin *Lupinus arboreus*

Sea Buckthorn *Hippophae rhamnoides* (planted but now extinct, Pearson *et al* 2007)

Gorse *Ulex europaeus*

Great Willowherb *Epilobium hirsutum*

Broad-leaved Willowherb *Epilobium montanum* (to 2004, Pearson *et al* 2007)

Hoary Willowherb *Epilobium parviflorum*

Square-stalked Willowherb *Epilobium tetragonum*

American Willowherb *Epilobium ciliatum*

Rosebay Willowherb *Chamerion angustifolium*

Spindle *Euonymus europaeus*

Annual Mercury *Mercurialis annua* (recorded in 1934, Pearson *et al* 2007)

Caper Spurge *Euphorbia lathyris*

Sea Spurge *Euphorbia paralias*

Sycamore *Acer pseudoplatanus*

Cut-leaved Cranesbill *Geranium dissectum*

Dove's-foot Crane's-bill *Geranium molle*

Common Stork's-bill *Erodium cicutarium*

Sea-holly *Eryngium maritimum*

Cow Parsley *Anthriscus sylvestris*

Bur Chervil *Anthriscus caucalis*

Parsley Water Dropwort *Oenanthe lachenalii* (recorded in 2016 in S4, RFPorter)

Alexanders *Smyrniium olusatrum*

Hogweed *Heracleum sphondylium*

Wild Carrot *Daucus carota*

Tomato *Lycopersicon esculentum* (recorded in 2004, Pearson *et al* 2007)

Black Nightshade *Solanum nigrum*

Bittersweet *Solanum dulcamara*

Potato *Solanum tuberosum*

Field Bindweed *Convolvulus arvensis*

Hedge Bindweed *Calystegia sepium*

Sea Bindweed *Calystegia soldanella*

Viper's-bugloss *Echium vulgare* (recorded 1959, Pearson *et al* 2007)

Bugloss *Anchusa arvensis*

Oysterplant *Mertensia maritima* (recorded to 1921, Pearson *et al* 2007)

Early Forget-me-not *Myosotis ramosissima*

Changing Forget-me-not *Myosotis discolor* (recorded to c1913, Pearson *et al* 2007)

Hound's-tongue *Cynoglossum officinale* (GB Red List - Near Threatened)

Marsh Woundwort *Stachys palustris*

Black Horehound *Ballota nigra*

Red Dead-nettle *Lamium purpureum*

Ground Ivy *Glechoma hederacea*

Skullcap *Scutellaria galericulata* (last recorded in 1965, Pearson *et al* 2007)

Wild Clary *Sylvia verbenaca* (recorded in 2016 in I2, see Porter 2016)

Gipsywort *Lycopus europaeus* (recorded in 1956, Pearson *et al* 2007)

Buck's-horn Plantain *Plantago coronopus*

Sea Plantain *Plantago maritima*

Greater Plantain *Plantago major*

Ribwort Plantain *Plantago lanceolata*

Wild Privet *Ligustrum vulgare*

Foxglove *Digitalis purpurea*

Heath Speedwell *Veronica officinalis*

Wall Speedwell *Veronica arvensis*

Common Field-speedwell *Veronica persica*

Purple Toadflax *Linaria purpurea* (recorded in 2016 in I3, see Porter 2016)

Red Bartsia *Odontites verna*

Yellow-rattle *Rhinanthus minor*

Sheep's-bit *Jasione montana*

Field Madder *Sherardia arvensis* (recorded by Pearson *et al* 2007)

Lady's Bedstraw *Galium verum*

Heath Bedstraw *Galium saxatile* (last recorded in 1964, Pearson *et al* 2007)

Common Cleavers *Galium aparine*

Elder *Sambucus nigra*

Honeysuckle *Lonicera periclymenum*

Common Cornsalad *Valerianella locusta*

Red Valerian *Centranthus ruber*

Teasel *Dipsacus fullonum* (last recorded in 1966, Pearson *et al* 2007)

Lesser Burdock *Arctium minus*

Musk Thistle *Carduus nutans*

Spear Thistle *Cirsium vulgare*

Creeping Thistle *Cirsium arvense*

Marsh Thistle *Cirsium palustre*

Common Cats-ear *Hypochaeris radicata*

Smooth Cats-ear *Hypochaeris glabra* (GB Red List – Vulnerable)

Autumn Hawkbit *Leontodon autumnalis*

Rough Hawkbit *Leontodon hispidus* (last recorded in 1956, Pearson *et al* 2007)

Lesser Hawkbit *Leontodon saxatilis*

Bristly Oxtongue *Picris echioides*

Goatsbeard *Tragopogon pratensis*

Perennial Sow-thistle *Sonchus arvensis*

Smooth Sow-thistle *Sonchus oleraceus*

Prickly Sow-thistle *Sonchus asper*

Great Lettuce *Lactuca virosa*

Dandelions *Taraxacum* spp

Rough Hawksbeard *Crepis biennis*

Smooth Hawksbeard *Crepis capillaris*

Beaked Hawksbeard *Crepis vesicaria*

Mouse-ear-hawkweed *Pilosella officinarum*

Fox-and-cubs *Pilosella aurantiaca*

Common Cudweed *Filago vulgaris* (GB Red List - Near Threatened)

Filago arvensis (recorded in 1969, Pearson *et al* 2007)

Small Cudweed *Filago minima*

Common Fleabane *Pulicaria dysenterica* (recorded in 1985, Pearson *et al* 2007)

Sea Aster *Aster tripolium*

Blue Fleabane *Erigeron acer*

Canadian Fleabane *Conyza canadensis*

Daisy *Bellis perennis*

Sea Wormwood *Seriphidium maritimum*

Mugwort *Artemisia vulgaris*

Yarrow *Achillea millifolium*

Sea Mayweed *Tripleurospermum maritimum*

Common Ragwort *Senecio jacobaea*

Groundsel *Senecio vulgaris*

Heath Grounsel *Senecio sylvaticus*

Sticky Groundsel *Senecio viscosus*

Colt's-foot *Tussilago farfara*

Sunflower *Helianthus annuus*

Sea Arrow-grass *Triglochin maritima*

Eelgrass *Zostera marina* (GB Red List - Near Threatened)

Narrow-leaved Eelgrass *Zostera angustifolia*

Dwarf Eelgrass *Zostera noltii* (GB Red List – Vulnerable; Nationally Scarce)

Salt-marsh Rush *Juncus gerardii*

Toad Rush *Juncus bufonius*

Jointed Rush *Juncus articulatus* (recorded in 1964, Pearson *et al* 2007)

Sea Rush *Juncus maritimus*

Hairy Woodrush *Luzula pilosa* (recorded in 1958, Pearson *et al* 2007)

Field Woodrush *Luzula campestris*

False Fox-sedge *Carex otrubae* (recorded in 1956-7, Pearson *et al* 2007)

Sand Sedge *Carex arenaria*

Distant Sedge *Carex distans* (recorded in 1959, Pearson *et al* 2007)

Long-bracted Sedge *Carex extensa* (recorded in 1984, Pearson *et al* 2007)

Yellow Sedge *Carex viridula* (recorded in 1964-66, Pearson *et al* 2007)

Greater Pond Sedge *Carex riparia*

Red Fescue *Festuca rubra*

Sheep's Fescue *Festuca ovina* (last recorded in 1966, Pearson *et al* 2007)

Perennial Rye-grass *Lolium perenne* (recorded in 1958, Pearson *et al* 2007)

Squirreltail Fescue *Vulpia bromoides* (recorded in 1956, Pearson *et al* 2007)

Crested Dog's-tail *Cynosurus cristoides* (recorded in 1958, Pearson *et al* 2007)

Common Saltmarsh-grass *Puccinellia maritima*

Annual Meadow Grass *Poa annua*

Spreading Meadow-grass *Poa humilis*

Smooth Meadow-grass *Poa pratensis* (recorded by Pearson *et al* 2007)

Cock's-foot *Dactylis glomerata* (recorded in 1959, Pearson *et al* 2007)

Fern-grass *Catapodium rigidum* (recorded by Pearson *et al* 2007)

Sea Fern-grass *Catapodium marinum*

Hard-grass *Parapholis strigosa* (recorded by Pearson *et al* 2007)

Curved Hard-grass *Parapholis incurva* (Nationally Scarce)

False Oat-grass *Arrhenatherum elatius*

Yellow Oat-grass *Trisetum flavescens* (recorded in 1958, Pearson *et al* 2007)

Wild-oat *Avena fatua*

Crested Hair-grass *Koeleria cristata* (last recorded in 2004, Pearson *et al* 2007)

Yorkshire-fog *Holcus lanatus*

Creeping Soft-grass *Holcus mollis* (recorded in 2002, Pearson *et al* 2007)

Grey Hair-grass *Corynephorus canescens* (GB Red List - Near Threatened; Nationally Rare)

Early Hair-grass *Aira praecox*

Sweet Vernal-grass *Anthoxanthum odoratum* (recorded in 1958, Pearson *et al* 2007)

Common Bent *Agrostis capillaris* (recorded in 1962, Pearson *et al* 2007)

Creeping Bent *Agrostis stolonifera*

Marram *Ammophila arenaria*

Sand Cat's-tail *Phleum arenarium*

Soft Brome *Bromus hordeaceus*

Barren Brome *Anisantha sterilis* (recorded in 1958, Pearson *et al* 2007)

Common Couch-grass *Elytrigia repens*

Bearded Couch *Elymus caninus* (recorded 1956-59, Pearson *et al* 2007)

Sea Couch *Elytrigia atherica*

Sand Couch *Elytrigia juncea*

Lyme-grass *Leymus arenarius*

Wall Barley *Hordeum murinum* (recorded by Pearson *et al* 2007)

Common Reed *Phragmites australis*

Small Cord-grass *Spartina maritima* (recorded c1913, Pearson *et al* 2007)

Common Cord-grass *Spartina anglica*

Red-hot Poker *Kniphofia* sp. (planted, not recorded since 2000, Pearson *et al* 2007)

Bluebell *Hyacinthoides non-scriptus*

Daffodil *Narcissus pseudonarcissus*

Asparagus *Asparagus officinalis*

Yellow Iris *Iris pseudacorus* (not recorded since 1955, Pearson *et al* 2007)

Yucca *Yucca gloriosa*

Marsh Helleborine *Epipactis palustris*

Pyramidal Orchid *Anacamptis pyramidalis*

Common Spotted-orchid *Dactylorhiza fuchsii*

Southern Marsh-orchid *Dactylorhiza praetermissa*

References

Cheffings, CM & Farrell, L. (eds.), Dines, TD, Jones, RA, Leach, SJ, Mckean, DR, Pearman, DA, Preston, CD, Rumsey, FJ & Taylor, I. 2005. *The Vascular Plant Red Data List for Great Britain*. Species Status 7: 1-116. Joint Nature Conservation Committee, Peterborough. (available online)

Pearson, J, Taylor, K, Woodhall, J & Havill, D. 2007. An annotated list of plants of Blakeney Point, Norfolk, with selected maps. *Trans. Norfolk Norwich Nat Soc.* 40 (1): 16-54.

Porter, R. 2016, but published 2017. The plants of Blakeney Point: update 2014 -2016 *Trans. Norfolk Norwich Nat. Soc.* 66 – 70.

Porter, R. 2013, but published 2014. The distribution and abundance of the plants of Blakeney Point, Norfolk. *Trans. Norfolk Norwich Nat. Soc.* 46 (1): 110 – 130.

Porter, R. 2013. *An Atlas of the Plants of Blakeney Point, Norfolk*. National Trust.

Stace, C. 2010. *New Flora of the British Isles*, 3rd edition. Cambridge University Press.